GRANDRAKE PUSH

Product categories

Frozen Food and Ice cream

Technical features

Ventilated

Remote condensing unit

LED lighting

High efficiency fans

Electric defrost

ENERGY CLASS*

Certification and patents

Epta S.p.A. participates in the ECC programme for: Refrigerated display cabinets (RDC); Check ongoing validity of certificate online: www.eurovent-certification.com

GRANDRAKE PUSH

Product range

GRANDRAKE PUSH				
Length-Lunghezza Longueur-Länge-Longitud mm	**1885**	**2500**	**3750**	**EOL 2245**
GRANDRAKE PUSH	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficieexpositiva m2	2.45	3.25	4.87	2.79
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2.02	2.68	4.03	2.41
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitad neta dm3	708.00	939,97	1412,22	734,3
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm	Spalla panoramica/Panoramic end/Joue panoramique/ Verglaste Seitenwand/ Lateral panorámico: 70.00 (+104 batticarrello/bumper rail/pare-chocs/ Stoßstange/parachoque)			

Cross sections

LINEAR



Cross sections

EOL